



A. Cube Trucks

Durable trucks for waste collection, material transport and laundry handling. Smooth surface for easy cleaning. Black.

No.	Capacity/ Cubic Ft.	Size (L x W x H)	Shpg. Wt.	Each
◆RCP 4608 BLA	300-lb./8	38 x 26 x 28½	36-lbs.	
◆RCP 4612 BLA	400-lb./12	42¾ x 28 x 33	40-lbs.	
◆RCP 4614 BLA	500-lb./14	44½ x 31 x 32½	47-lbs.	
◆RCP 4616 BLA	500-lb./16	43¾ x 31 x 37	51-lbs.	
◆RCP 4619 BLA	600-lb./20	48 x 34½ x 36½	60-lbs.	

B. Cube Truck Lids

Domed, hinged lid conceals loads without affecting capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
◆RCP 4609 BLA	4608	13.5-lbs.	
◆RCP 4613 BLA	4612, 4712	14.3-lbs.	
◆RCP 4615 BLA	4614, 4616, 4716	17.2-lbs.	
◆RCP 4617 BLA	4619	18.8-lbs.	

C. Structural Foam Tilt Trucks

Structural foam technology provides maximum durability without metal frame. Ergonomic steering wheel handle and secondary dump handle provides excellent handling and maneuvering. Black.

No.	Capacity	Shpg. Wt.	Each
◆RCP 1011 BLA	600-lb.	92-lbs.	
◆RCP 1013 BLA	1000-lb.	101-lbs.	





A. Tilt Trucks

Specially made to handle bulky, medium to heavyweight materials. Sturdy, plastic construction. Easy to maneuver and dump contents. Wheels and axle are inset to prevent damage to interior surfaces and equipment. Black. (Optional lids sold separately.)

No.	Capacity	Size (L x W x H)	Shpg. Wt.	Each
½ Cubic Yard*				
◆RCP 1304 BLA	450-lbs.	56¾ x 28 x 38½	62-lbs.	
◆RCP 1305 BLA	850-lbs.	60½ x 28 x 38½	77-lbs.	
◆RCP 1306 BLA	1,400-lbs.	60½ x 28 x 38½	88-lbs.	

1 Cubic Yard

◆RCP 1314 BLA	850-lb.	72¼ x 33½ x 43¾	111-lbs.	
◆RCP 1315 BLA	1,250-lb.	72¼ x 33½ x 43¾	111-lbs.	
◆RCP 1316 BLA	2,100-lb.	72¼ x 33½ x 43¾	120-lbs.	

* ½ cubic yard tilt trucks do not come with a handle

B. Tilt Truck Lids

Domed, hinged lid conceals loads without reducing capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
◆RCP 1307 BLA	1304, 1305, 1306, 9T17	23.3-lbs.	
◆RCP 1317 BLA	1314, 1315, 1316, 9T18	24-lbs.	

C. Tilt Trucks

Sturdy, plastic construction. Smooth and seamless, one-piece molded truck bodies with reinforced lip are rounded and easy to clean. 4-in. center swivel back caster provides easy maneuvering. Durable, one-piece, 10-in. blow-molded polypropylene wheels offer low maintenance and protect surroundings. Powder-coated steel frame for corrosion resistance. Black.

No.	Capacity	Size (L x W x H)	Shpg. Wt.	Each
½ Cubic Yard*				
◆RCP 9T17 BLA	300-lb.	56¾ x 28 x 38½	46.3-lbs.	
1 Cubic Yard				
◆RCP 9T18 BLA	600-lb.	72¼ x 33½ x 43¾	98.6-lbs.	

* ½ cubic yard tilt trucks do not come with a handle

D. Big Wheel™ Utility Cart

Heavy-duty structural foam construction hauls up to 300-lbs. Durable, one-piece tub construction. Reinforced ribbing provides added impact resistance. Smooth, easy-to-dump, easy-to-clean pan. Level capacity 7½ cubic feet. Comfortable, molded, structural foam handles. Steel axle and large 20 x 2 wheels with pneumatic tires. Black. 32¾w x 57½d x 28¼h. Shpg. wt. 45-lbs.

◆RCP 5642 BLA	Each
---------------	------

Center hinge lets lid open from either end.




GREEN TIP

The EPA estimates that there are 136 million tons of construction and demolition debris generated in the U.S. annually, or 2.8-lbs./person/day. If your building is undergoing any kind of rehabilitation or construction, keep in mind that there are many government organizations and recycling facilities that will assist you with recycling or reusing excess materials and some kinds of demolition debris. You can be the one that makes these materials available for reuse and keep them out of our landfills and waste streams.

<http://www.epa.gov/epawaste/conservation/rrr/fmr/cdm/index.htm>



Molded-in tie down slots allow use of straps or bungees.



Underside view of Duramold™ deck.



A



B

Handle folds flat for use as a dolly.



C



D

Use as a two-wheel hand truck or a four-wheel platform truck with two swivel casters.



A. Heavy-Duty Platform Trucks

Exclusive Duramold™ decks are formed from a precision engineered resin and metal composite structure that provides maximum load support. Four molded-in tie down slots to secure loads with straps or bungees (not incl.). Retainer clips prevent unintended removal of the powder-coated steel handle. Four casters, two swivel. Black. ✖

No.	Capacity	Shpg. Wt.	Each
36 x 24 Platform			
◆RCP 4403 BLA	1000-lb.	50-lbs.	
◆RCP 4406 BLA	2000-lb.	63-lbs.	
48 x 24 Platform			
◆RCP 4436-10 BLA NEW	1200-lb.	75-lbs.	
◆RCP 4436 BLA	2000-lb.	63-lbs.	
◆RCP 4441 BLA NEW	2500-lb.	69-lbs.	
60 x 30 Platform			
◆RCP 4466 BLA	2000-lb.	88-lbs.	
◆RCP 4471 BLA	2500-lb.	101-lbs.	

B. Home and Office Carts

Three-position handle moves upright for pushing, angles for pulling or folds flat for use as a dolly or for storage. Structural foam platform won't rust, dent or bend. 500-lb. capacity model has ergonomic handle for easier movement and 5-in. dia. casters for extra stability. Nonskid platform is 20% x 31% (35% with handle flat). Four nonmarking casters, two swivel. Black. ✖

No.	Capacity	Shpg. Wt.	Each
Utility Duty —(Not shown.)			
RCP 4400 BLA	250-lb.	21-lbs.	
Standard Duty			
RCP 4401 BLA	500-lb.	25-lbs.	



- Heavy-gauge welded tubular steel frames

C. Two-Wheel Hand Truck

Large 7 x 14 beveled steel toe plate for big loads. 500-lb. capacity. Steel stair glides. 10 x 2 3/4 solid rubber tires. Green enamel finish. Loop handle. Overall: 21 3/4 w x 50 1/2 h. Shpg. wt. 34-lbs.

WES 626DZ2	Each
------------	------

D. Two-Way Convertible Truck

Converts easily from a two-wheel, 500-lb. capacity hand truck to a four-wheel, 600-lb. capacity platform truck. 7 x 14 beveled steel nose plate. Two 10 x 2 3/4 solid rubber tires, two 5-in. swivel casters. Green enamel finish. Overall: 20 w x 48 h. Shpg. wt. 38-lbs.

WES 65621Z2	Each
-------------	------



See Pgs. 329-335 for **FACILITY MAINTENANCE & SAFETY**

Start tooling around... a pre-stocked tool kit meets your office maintenance needs.





A. Five-Drawer Mobile Workcenter

Heavy-duty worksurface supports up to 250-lbs. Five storage drawers for tools, supplies and more. Tabletop bins keep small parts within reach. Peg board side panels provide convenient tool organization. Built-in cord wrap allows neat storage of power tools or work lights. Locking bar. Polypropylene. Four swivel casters (Two locking). Black/Red. 32.6w x 19.8d x 33.5h. Shpg. wt. 69-lbs.

◆RCP 7734 BLA **Each**

B. Trades Cart with Locking Cabinet

Fully enclosed, lockable storage compartment keeps costly tools and sensitive materials secure. Perfect for facility maintenance work. Structural foam construction. Ergonomic top surface provides a handy work area for items weighing up to 180-lbs. Two shelves. Bottom shelf holds up to 150-lbs. Total cart capacity 450-lbs. (including drawers). Four removable parts boxes for assorted parts and hardware. Two storage drawers hold supplies. Molded-in, wraparound handle features storage bin for small tools and parts. Mounting bracket serves as cord wrap or holds wastebasket. 5-in. nonmarking swivel casters (Two locking). Black. 38w x 19¼d x 33¾h. Shpg. wt. 68-lbs.

RCP 6180-88 BLA **Each**



A

Locking bar provides security and holds drawers in place.



Lockable cabinet. B

CONVERTIBLE TRUCKS

Duramold™ precision engineered resin and metal composite structure for durability and long life. Textured deck surface reduces load slippage. Molded-in tie down slots for load security. Perimeter deck channel retains small items. Retainer clips prevent unintended handle removal. Powder-coated steel handle / frame for long service life. Two fixed, two swivel casters. 2,000-lb. maximum capacity.

C. Convertible A-Frame Truck 24 x 44

Convertible design quickly transforms into multiple truck and cart configurations. Transports sheet goods, pipe, lumber bar stock and more! Fold down top shelves provide convenient tool and small item storage, 100-lb. capacity per side. Four articulating outrigger arms fold down, 100-lb. capacity per arm. Large deck and top shelf surface area. Black. 50¼w x 27¼d x 49½h. Shpg. wt. 133-lbs.

◆RCP 4465 BLA **Each**



C

2000
L.B. CAPACITY

D. Convertible Platform Truck 24 x 52

Convertible design quickly transforms the bulk load capacity of a standard platform truck to a heavy-duty two shelf utility cart with push-button release latch. Three product configurations in one: 24 x 52 Platform or U-boat Truck, 1,000-lb. capacity. 24 x 44 Heavy-Duty two-shelf Utility Cart, 750-lb. capacity. 61½w x 25¼d x 42h. Shpg. wt. 106-lbs.

◆RCP 4496 BLA **Each**



Converts to a two-shelf utility cart.


2000
L.B. CAPACITY



Converts to a platform truck.



Platform Trucks



Underside view of Duramold™ deck.



A



B



C



PLATFORM TRUCKS

Duramold™ exclusive engineered resin and metal composite structure provides maximum load support. Structural foam and steel reinforced deck for enhanced durability, won't rust, dent, chip or splinter. Molded-in tie-down slots for load security. Textured deck surface reduces load slippage. Perimeter deck channel retains small items. Two fixed, two swivel heavy-duty polyolefin casters for optimal control, maneuverability and long wear life over a variety of surfaces. Easy and quick assembly with common tools. Virtually maintenance free. Black.

A. A-Frame Panel Truck

Steel reinforced frame and side rails hold bulky sheet goods firmly in place during transit. Inclined frame and side rail retainer clips prevent unintended removal. Large surface load area improves productivity. Deck size: 24-in. x 48-in. Overall dimensions: 24w x 51l x 45h. Capacity 2,000-lbs. Shpg. wt. 73.8-lbs.

RCP 4463 BLA Each

B. Sheet & Panel Trucks

Three removable powder-coated steel vertical frames provide support for hard-to-handle loads. Vertical frame retainer clips prevent unintended removal. Deck size: 24-in. x 48-in. Overall dimensions: 24w x 51l x 40h. Capacity 2,000-lbs. Shpg. wt. 73.8-lbs.

RCP 4468 BLA Each

C. Stanchion Truck

Heavy-duty steel corner posts provide easy loading and unloading. Corner posts retainer clips prevent unintended removal. Deck size: 24-in. x 48-in. Overall dimensions: 24w x 51l x 42.625h. Capacity 2,500-lbs. Shpg. wt. 54.6-lbs.

RCP 4482 BLA Each





PLATFORM TRUCKS

Duramold™ exclusive engineered resin and metal composite structure provides maximum load support. Structural foam deck for enhanced durability, won't rust, dent, chip or splinter. Molded-in tie-down slots for load security. Textured deck surface reduces load slippage. Perimeter deck channel retains small items. Virtually maintenance free.

A. Work-Height Platform Truck

Adjustable work height from 25-in. to 31-in. high in 3-in. increments. Ergonomic handle design improves control and worker safety. Steel reinforced deck for enhanced durability. Powder-coated steel handle with retainer clip prevents unintended removal. Two fixed, two swivel heavy-duty polyolefin casters for optimal control, maneuverability and long wear life over a variety of surfaces. Easy and quick assembly with common tools. Deck size: 24-in. x 48-in. Overall dimensions: 24w x 52.25l x 47.8750h. Black. Capacity 2,000-lbs. Shpg. wt. 102-lbs.

RCP 4473 BLA **Each**



A

B. 5th Wheel Wagon Trucks

Fifth wheel steering ensures tight turning radius and easy maneuverability. Vinyl grip, powder-coated "T" pull handle stays upright when not in use. T-end is removable for towing applications (tow package sold separately). Towing capabilities—single truck, up to five mph. Rubber casters provide floor surface protection, quiet operation and shock absorption. Pneumatic casters protect loads over rough indoor and outdoor surfaces. Steel reinforces deck for enhanced durability. Easy and quick assembly with common tools. 24w x 54l x 31.75h. Black. Capacity 2,000-lbs. Shpg. wt. 98-lbs.

No.	Casters	Each
RCP 4477 BLA	Pneumatic	
RCP 4478 BLA	Thermo Plastic Rubber	



B

C. Side Panel Platform Truck

Ergonomic handle design improves control and worker safety. Side panels easily remove to accommodate oversized loads. Versatile design allows for multiple configurations, one to four panels. End-panel cut-outs allow for ergonomic access of contents. Steel reinforced deck for enhanced durability. Two fixed, two swivel heavy-duty 8-in. casters for optimal control and maneuverability. Easy and quick assembly with common tools. Deck size: 24-in. x 48-in. 24w x 55.75l x 41h. Black. Shpg. wt. 73.7-lbs.

No.	Casters	Capacity	Each
RCP 4485 BLA	Pneumatic	1,200-lbs.	
RCP 4486 BLA	Thermo Plastic Rubber	2,000-lbs.	



C

D. Semi-Live Skid 24-in. x 48-in.

Heavy-duty tow plate engages/disengages jack handle RCP 4492 (sold separately). 24w x 51l x 45h. Black. Capacity 2,000-lbs. Shpg. wt. 73.8-lbs.

RCP 4494 BLA **Each**

E. Semi-Live Skid Jack Handle

Ergonomic handle design enables tight turning radius for easy maneuverability in confined spaces which improves control and worker safety. For Semi-Live Skid RCP 4494 BLA (sold separately). Red. Shpg. wt. 38-lbs.

RCP 4492 RED **Each**



D

Casters to Meet Your Needs



POLYOLEFIN

Hard-tread polyolefin casters roll easier than soft tread casters. Nonmarking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails and other debris. Excellent on concrete, wood, carpet and steel surfaces.



PNEUMATIC

Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



THERMOPLASTIC RUBBER (TPR)

TPR casters absorb shock and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete and carpet.

Utility Carts



500
LB. CAPACITY



500
LB. CAPACITY

Front "hook" holds extension cord or soft wastebasket. Handle bin stores small parts and tools.



300
LB. CAPACITY



300
LB. CAPACITY



300
LB. CAPACITY



A. Heavy-Duty Utility Carts

Transport materials, supplies and heavy loads in almost any environment. Variable grip height handle improves control and worker safety. Deep pocket lipped shelves keep contents in place. Four nonmarking casters, unless noted otherwise. ❄️

No.	Color	Size (W x D x H)	Max. Cap.	Shpg. Wt.	Each
RCP 4500-88 BEI	Beige	39 x 17 ⁷ / ₈ x 33 ¹ / ₄	500-lbs.	29 ¹ / ₂ -lbs.	
RCP 4500-88 BLA	Black	39 x 17 ⁷ / ₈ x 33 ¹ / ₄	500-lbs.	29 ¹ / ₂ -lbs.	
RCP 4520-88 BEI	Beige	45 ¹ / ₄ x 25 ⁵ / ₈ x 33 ¹ / ₄	500-lbs.	41-lbs.	
RCP 4520-88 BLA	Black	45 ¹ / ₄ x 25 ⁵ / ₈ x 33 ¹ / ₄	500-lbs.	41-lbs.	
RCP 4520-10 BLA*	Black	44 x 25 ¹ / ₄ x 37 ¹ / ₈	500-lbs.	63-lbs.	
RCP 4546 BLA	Black	54 x 25 ¹ / ₄ x 33 ¹ / ₄	750-lbs.	49-lbs.	
RCP 4546-10 BLA*	Black	54 x 25 ¹ / ₄ x 33 ¹ / ₄	750-lbs.	71-lbs.	

* Includes pneumatic casters

B. Heavy-Duty Flat Shelf Utility Cart

Transport materials, supplies and heavy loads in almost any environment. Variable grip height handle improves control and worker safety. Four nonmarking casters. ❄️

No.	Color	Size (W x D x H)	Max. Cap.	Shpg. Wt.	Each
RCP 4505 BEI	Beige	37 ⁷ / ₈ x 19 ¹ / ₈ x 33 ¹ / ₄	500-lbs.	29 ¹ / ₂ -lbs.	
RCP 4505 BLA	Black	37 ⁷ / ₈ x 19 ¹ / ₈ x 33 ¹ / ₄	500-lbs.	29 ¹ / ₂ -lbs.	
RCP 4525 BEI	Beige	43 ⁵ / ₈ x 25 ⁵ / ₈ x 33 ¹ / ₄	500-lbs.	41-lbs.	
RCP 4525 BLA	Black	43 ⁵ / ₈ x 25 ⁵ / ₈ x 33 ¹ / ₄	500-lbs.	41-lbs.	
RCP 4545 BLA	Black	54 x 25 ¹ / ₄ x 36	750-lbs.	44-lbs.	

C. Service/Utility Carts

Structural foam construction. Two tray-style shelves securely hold contents. Molded-in handle with convenient storage compartments. Four nonmarking swivel casters. Easy assembly. 31¹/₄-in. high. ❄️

No.	Color	Size (W x D)	Max. Cap.	Shpg. Wt.	Each
RCP 9T66 BLA	Black	34 x 16	300-lbs.	36 ¹ / ₄ -lbs.	
RCP 9T67 BLA	Black	40 x 24	300-lbs.	42 ³ / ₄ -lbs.	

D. Instrument Cart

For use in hospitals, health care centers, labs and hotels/motels. For transporting instruments and supplies. Three smooth, easy-to-clean shelves, sliding top drawer and two molded handles. Enclosed bottom shelf has locking doors to secure contents. 300-lb. maximum load capacity; 100-lbs. per shelf. Easy "pound-together" assembly. Four nonmarking casters. Gray. 40⁵/₈w x 20d x 37¹/₈h. Shpg. wt. 51¹/₂-lbs. ❄️

RCP 4094 GRA	Each
--------------	-------------

E. Three-Shelf AV/Equipment Cart, Lockable Enclosed Shelf

300-lb. total load capacity (100-lbs. per shelf). Sized to carry large loads. Rounded corners won't damage walls. Upscale appearance ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle. Comfortable, rounded handles have molded-in storage bins for small items. Quiet, nonmarking casters. Black. 40⁵/₈w x 20³/₄d x 37¹/₈h. Shpg. wt. 52-lbs.

RCP 4095 BLA	Each
--------------	-------------

000 LB. CAPACITY **Weight Capacity**
The maximum weight that this product can accommodate.





A. Executive Service Cart

Highly aesthetic design for front and back of house applications. Extra-large top shelf fits two 4½-gallon bus boxes (RCP 3349 GRA, sold separately). Shelves feature raised edges and sturdy side panels to keep contents secure. Thick shelves provide added strength; 300-lb. weight load capacity. Two rounded ergonomic handles for comfort. Solid base bumper protects walls and furniture. Durable, easy-to-clean polypropylene construction. Heavy-duty, nonmarking 4-in. casters. Black. 21w x 29d x 38h. ☒

RCP 9T68 BLA **Each**

UTILITY CARTS

- Sized to carry large loads and reduce return trips
- Rounded corners won't damage walls

Upscale appearance is ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle with quiet, nonmarking casters. Comfortable, rounded handles.

No.	Color	Shpg. Wt.	Each
-----	-------	-----------	------

B. 3-Shelf Utility Cart, Open All Sides—300-lb. total load capacity (100-lbs. per shelf). 40½w x 20d x 37½h. ☒

RCP 4091 CRE	Off-White	46-lbs.
RCP 4091 BLA	Black	46-lbs.

C. 4-Shelf Utility Cart, Open All Sides—300-lb. total load capacity (75-lbs. per shelf). 40½w x 20d x 51h. ☒

RCP 4096 BLA	Black	52-lbs.
--------------	-------	---------

D. 3-Shelf Utility Cart, Enclosed On 3 Sides—300-lb. total load capacity (100-lbs. per shelf). 40½w x 20d x 37½h. ☒

RCP 4093 CRE	Off-White	51-lbs.
RCP 4093 BLA	Black	51-lbs.

THREE-SHELF UTILITY/SERVICE CARTS

- Quiet operation
- Dual-molded handles; nonmarking swivel casters
- Easy-to-clean smooth surfaces

E. Three-Shelf Utility Cart with Brushed Aluminum Uprights

Ideal for offices or foodservice. 200-lb. total load capacity. Shelves have slight lip on three sides; one flat side for easy loading. 4-in. diameter casters. Assembles easily in minutes. 18½w x 33½d x 37¾h. Shpg. wt. 30-lbs. ☒

No.	Color	Each
RCP 3424-88 BLA	Black	
RCP 3424-88 PLA	Platinum	

F. Three-Shelf Service Cart with Brushed Aluminum Uprights

Ideal for office use. 100-lb. total load capacity. Shelves have one flat side for easy loading; lip on three sides. 3-in. diameter swivel casters. Easy to assemble. Beige. 16½w x 31½d x 36h. Shpg. wt. 21½-lbs. ☒

RCP 9T65-71 BEI **Each**

G. Three-Shelf Utility Cart with Enclosed End Panels

Structural foam construction for durability. Ideal for offices or foodservice. Flat shelves. Enclosed on two sides. 300-lb. total load capacity. 4-in. diameter casters. Platinum. 18w x 31d x 37½h. Shpg. wt. 38.6-lbs. ☒

RCP 3355-88 PLA **Each**

UTILITY CART BINS

Handy bins convert utility carts to busing systems. Top rim has a lip which rests on cart beneath the handle. For RCP 3355-88, RCP 3424-88, RCP 4091, RCP 4093, RCP 4094, RCP 4095 and RCP 4096 Utility Carts.

H. Refuse Bin

8-gallon capacity. Black. 17w x 12d x 22h.

RCP 3353-88 BLA **Each**

I. Utility Bin

4-gallon capacity. Black. 17w x 12½d x 10½h.

RCP 3354-88 BLA **Each**



Refuse Bin H.
(RCP 3353-88 BLA)
and Utility Bin I.
(RCP 3354-88 BLA)
each sold separately.





Adjustable shelves—
includes posts and clips.

A



B



C



D



E



F



G

Lid slides back for
easy walk-in access.

tennsco
Systems for Success

A. 75" High Commercial Metal Shelving

350-lb. capacity per shelf (based on 36 x 18 shelf evenly distributed). Includes five 36w x 18d shelves, plus posts and shelf clips. Shelves adjust in 1-in. increments with compression clips. Medium Gray. Shpg. wt. 61-lbs. ☒

TNS 109694

Each

Rubbermaid

B. Roughtote® Clear Storage Boxes

Durable polypropylene boxes keep contents contained, dry and dust-free. Shatter-resistant down to 0°F. Built-in handles for easy lifting and carrying. Clear polypropylene with White lid.

No.	Capacity	Each
RHP 3Q24 CLE	3-gal.	

C. Roughneck® Storage Boxes

Rugged storage boxes are shatter-resistant. Sturdy, built-in handles for easy carrying. Snap-on, stay-tight lids help keep contents dry and dust-free. Stackable for easy, space-saving storage. Steel color. Manufacturer's lifetime warranty.

No.	Capacity	Each
RHP 2214TP STE	10-gal.	
RHP 2212CP STE	14-gal.	
RHP 2215CP STE	18-gal.	

OUTDOOR STORAGE SHEDS

- All structures are freestanding and weather resistant
- Interlocking double-wall blow-molded panels for strength and durability
- Tough, durable floor included
- Easily assembles in less than 30 minutes
- Sheds have hasp for a padlock (not incl.)

D. Large Vertical

Eight interlocking panels. Molded-in grooves for three shelves (not incl.). Molded-in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Sandstone/Olive. 52 cu. ft. capacity. 52w x 32d x 77h. Shpg. wt. 130-lbs. ☒

◆RHP 3746

Each

E. Large Horizontal

Six interlocking panels. Molded-in grooves for one shelf (not incl.). Molded-in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Lid prop bar included. Sandstone/Olive. 32 cu. ft. capacity. 56.5w x 32d x 48h. Shpg. wt. 92.81-lbs. ☒

◆RHP 3747

Each

F. Horizontal

Seven interlocking panels. Molded-in grooves hold one shelf (not incl.). Lid prop bar included. Sandstone/Olive. 18 cu. ft. capacity. 55w x 28d x 36h. Shpg. wt. 52-lbs. ☒

◆RHP 3748

Each

G. Slide-Lid

Lid slides back for easy walk-in access. Ideal for storing bikes and lawn equipment. Structural foam floor supports up to 1,300 lbs. Sandstone/Olive. 92 cu. ft. capacity. 60w x 79d x 54h. Shpg. wt. 262.76-lbs. ☒

◆RHP 3752

Each

**DON'T
FORGET!**

PADLOCKS page 333

Can't Find It? Call Us!

Product Type

Benefit Feature

Tilt trucks

This truck maximizes maneuverability. The design matches the name: these trucks make it easy to dump contents. Making them ideal for handling bulky materials and loads that are medium to heavyweight. Wheels and the overall profile help protect surroundings. Consider your need for the lid option. *(Find these on pages 344-345)*



Platform trucks

Accommodate loads of varying shapes and sizes aboard a high-capacity platform truck. Depending on what you're moving, you'll want to look at support—more when you're loading multiple, hard-to-balance items, less when loads are more well-balanced. Some platform trucks offer work-height surfaces. *(Find these on pages 346-349)*



Hand trucks

Carry a surprisingly heavy load with ease and agility with a two-wheeled hand truck. Buy a model that's dedicated to this role, or combine functionality with a convertible truck that switches from a two-wheeled configuration to a four-wheeled platform. *(Find these on page 346)*



Convertible trucks

Change configurations to use one truck in multiple applications. Some versions combine removable shelving with a more open platform truck option. Others provide support alternatives that adjust to the loads you're transporting. *(Find these on pages 330, 347)*

